

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Sires

Animal ID	Inbreeding	Prog:Flks	MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool	Sire
			kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+ Maternal\$	Dam
620068-2009-HV2903	8.1%	25:2	1.1	2.0	4.3						-10	-2		119.6 103.7 107.7	620068-2008-000437
HIDDEN VALLEY		Acc.:	42	67	68						33	29		55 37	620068-2006-002639
620102-2007-VW7922		43:1	0.0	-0.7	-1.4						-7	-3		98.6	*
SCHAUER		Acc.:	37	68	64						37	31			*
620102-2007-VW7963		48:1	0.5	1.3	2.4						-8	-2		101.5	620017-1988-000404
SCHAUER		Acc.:	52	72	68						49	44			*

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Dams			MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool			Sire
Animal ID	Inbreeding	Progeny	kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+	Maternal\$		Dam
620078-2010-P10315	8.0%	2	0.7	0.3	0.9						0	8		103.8	105.2	108.4	620078-2009-009319
UW-MADISON		Acc.: 48	48	65	65						53	48		53		48	620078-2007-007333
620102-2008-PP0807		4									-24	-18			91.9		*
SCHAUER		Acc.: 49									49	41					*
620102-2008-PP0810		4	-0.7	-0.3	0.3						-4	-1			97.6		*
SCHAUER		Acc.: 45									45	38					*
620102-2008-PP0816		6	-0.5	0.2	1.1						-2	1			99.2		*
SCHAUER		Acc.: 49									49	41					*
620102-2008-PP0817		5	0.2	0.4							-12	-8			97.8		*
SCHAUER		Acc.: 45									45	38					*
620102-2008-PP0823		6		0.4							-2	0			100.2		*
SCHAUER		Acc.: 45									45	38					*
620102-2008-PP0825		8	-0.1	0.9	2.8						-1	1			100.6		*
SCHAUER		Acc.: 51									51	43					*
620102-2008-PP0829		5	-0.2	0.0							-11	-7			96.9		*
SCHAUER		Acc.: 49									49	41					*
620102-2008-PP0832		6	0.0	0.6	1.1						1	3			101.6		*
SCHAUER		Acc.: 50									50	42					*
620102-2008-PP0848		8	0.4	0.4	0.6						16	16			106.9		*
SCHAUER		Acc.: 47									47	39					*
620102-2008-PP0857		6		0.2							-2	0			99.6		*
SCHAUER		Acc.: 45									45	38					*
620102-2008-PP0870		6	0.4	0.0	-0.5						-4	-1			100.8		*
SCHAUER		Acc.: 49									49	41					*
620102-2009-SS0902		4	0.4	0.9	2.4						-3	1		110.4	101.8	105.0	620102-2007-VW7963
SCHAUER		Acc.: 49									49	43		50		43	620102-2008-PP0825
620102-2009-SS0903		5	0.1	0.7	1.3						4	6		106.1	102.9	106.8	620102-2007-VW7963
SCHAUER		Acc.: 47									47	41		48		41	620102-2008-PP0832
620102-2009-SS0904		1	0.4	1.3	2.9						-5	-1		113.2	101.6	104.8	620102-2007-VW7963
SCHAUER		Acc.: 45									45	39		45		38	620102-2008-PP0832
620102-2009-SS0906		1		0.1	-0.4						-7	-3		99.0	99.8	97.6	620102-2007-VW7922
SCHAUER		Acc.: 42									42	36		44		36	620102-2008-PP0870

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Dams			MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool			Sire
Animal ID	Inbreeding	Progeny	kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+	Maternal\$		Dam
620102-2009-SS0907		4		-0.4	-0.6						-7	-4		97.2	97.9	95.9	620102-2007-VW7922
SCHAUER		Acc.:									45	38		47		38	620102-2008-PP0829
620102-2009-SS0909		3	-0.1	-1.0	-1.4						-10	-6		92.8	97.2	93.1	620102-2007-VW7922
SCHAUER		Acc.:									45	37		47		38	620102-2008-PP0810
620102-2009-SS0910		3	-0.1	-0.3	-2.2						-19	-13		91.6	95.0	86.7	620102-2007-VW7963
SCHAUER		Acc.:									47	41		46		40	620102-2008-PP0807
620102-2009-SS0913		4	-0.6	-0.5	-0.4						-3	0		97.5	98.2	98.0	620102-2007-VW7922
SCHAUER		Acc.:									45	38		47		38	620102-2008-PP0816
620102-2010-SS1002		2		0.1	1.3						-5	-1		104.8	100.0	101.3	620102-2007-VW7922
SCHAUER		Acc.:									42	36		48		37	620102-2009-SS0902
620102-2010-SS1009		2	0.3	1.2	3.2						-4	-1		114.1	101.5	105.4	620102-2007-VW7963
SCHAUER		Acc.:									45	39		46		39	620102-2008-PP0825
620102-2010-SS1014		2		0.3	0.1						-5	-2		101.2	101.2	100.1	620102-2007-VW7922
SCHAUER		Acc.:									42	35		45		36	620102-2008-PP0870
620102-2010-SS1022		2	0.6	2.1	3.8						4	7		118.0	105.4	112.3	620102-2007-VW7963
SCHAUER		Acc.:									44	38		46		38	620102-2008-PP0848

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Male progeny			MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool			Sire
Animal ID	Inbreeding		kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+	Maternal\$		Dam
620102-2010-SS1001				-0.2	0.0						-5	-1		99.7	100.1	99.4	620102-2007-VW7922
SCHAUER	Acc.:										31	26		46		31	620102-2009-SS0902
620102-2010-SS1003				0.1	0.4						-9	-4		101.5	99.3	98.1	620102-2007-VW7963
SCHAUER	Acc.:										33	29		46		32	620102-2009-SS0909
620102-2010-SS1004				0.8	1.2						-7	-3			100.7	100.8	620102-2007-VW7963
SCHAUER	Acc.:										32	28				29	620102-2009-SS0906
620102-2010-SS1006				-0.1	-0.1						-9	-6		99.2	98.2	95.7	620102-2007-VW7922
SCHAUER	Acc.:										29	24		44		28	620102-2008-PP0817
620102-2010-SS1008			0.2	1.3	3.5						-5	-1		115.3	101.2	105.6	620102-2007-VW7963
SCHAUER	Acc.:										35	31		46		34	620102-2008-PP0825
620102-2010-SS1010			0.3	0.8	1.3						-3	1		106.5	101.4	103.1	620102-2007-VW7963
SCHAUER	Acc.:										35	30		45		33	620102-2008-PP0832
620102-2010-SS1011			0.3	1.2	2.1						-3	1		110.1	101.7	104.4	620102-2007-VW7963
SCHAUER	Acc.:										35	30		45		33	620102-2008-PP0832
620102-2010-SS1012				0.4	0.6						-7	-3		102.9	99.7	99.1	620102-2007-VW7963
SCHAUER	Acc.:										33	29		46		32	620102-2009-SS0907
620102-2010-SS1013				-0.9	-2.3						-5	-2		90.1	99.4	95.3	620102-2007-VW7922
SCHAUER	Acc.:										30	26		44		30	620102-2008-PP0870
620102-2010-SS1016				-0.1	-0.1						-5	-2		99.4	98.3	97.5	620102-2007-VW7922
SCHAUER	Acc.:										29	24		44		29	620102-2008-PP0810
620102-2010-SS1017				-0.6	-0.1						-5	-2		98.5	98.0	97.5	620102-2007-VW7922
SCHAUER	Acc.:										29	24		44		29	620102-2008-PP0810
620102-2010-SS1020				0.9	2.5						-5	-1		110.8	100.9	103.6	620102-2007-VW7963
SCHAUER	Acc.:										33	29		44		32	620102-2008-PP0823
620102-2010-SS1023			0.4	0.6	1.4						4	7			104.1	108.2	620102-2007-VW7963
SCHAUER	Acc.:										34	29				30	620102-2008-PP0848
620102-2010-SS1024			0.4	0.6	0.8						4	7			104.1	107.3	620102-2007-VW7963
SCHAUER	Acc.:										34	29				30	620102-2008-PP0848
620102-2010-SS1025			0.4	0.6	1.3						4	7			104.1	108.0	620102-2007-VW7963
SCHAUER	Acc.:										34	29				29	620102-2008-PP0848
620102-2010-SS1026				0.0	-0.1						-1	2			100.8	101.1	620102-2007-VW7922
SCHAUER	Acc.:										30	25				27	620102-2009-SS0903

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Male progeny		MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool		Sire	
Animal ID	Inbreeding	kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+	Maternal\$	Dam	
620102-2010-SS1027			-0.1	-0.3						-1	2		98.5	100.7	100.7	620102-2007-VW7922
SCHAUER	Acc.:									30	25		46		30	620102-2009-SS0903
620102-2010-SS1029			-0.2	-0.6						-9	-5		97.4	97.8	95.0	620102-2007-VW7922
SCHAUER	Acc.:									30	26		44		30	620102-2008-PP0829
620102-2010-SS1032			1.0	2.1						-5	-1		109.6	100.2	102.5	620102-2007-VW7963
SCHAUER	Acc.:									33	29		46		32	620102-2009-SS0913
620102-2011-SS1101			-0.6	-1.9						-13	-8			96.8	90.9	620102-2007-VW7922
SCHAUER	Acc.:									30	25				26	620102-2009-SS0910
620102-2011-SS1103		0.2	1.0	2.5						-5	-1			101.0	104.1	620102-2007-VW7963
SCHAUER	Acc.:									35	31				31	620102-2008-PP0825
620102-2011-SS1104		0.2	0.9	2.4						-5	-1			101.0	103.9	620102-2007-VW7963
SCHAUER	Acc.:									35	31				31	620102-2008-PP0825
620102-2011-SS1105			0.0							-9	-5			97.9	95.6	620102-2007-VW7922
SCHAUER	Acc.:									30	26				26	620102-2008-PP0829
620102-2011-SS1110			1.0	2.7						-8	-2			101.8	104.4	620068-2009-HV2903
SCHAUER	Acc.:									26	23				26	620102-2010-SS1002
620102-2011-SS1111			-0.1	0.3						-7	-3			99.4	98.5	620102-2007-VW7963
SCHAUER	Acc.:									33	29				30	620102-2009-SS0907
620102-2011-SS1112			0.2	0.7						-7	-3			99.6	99.3	620102-2007-VW7963
SCHAUER	Acc.:									33	29				30	620102-2009-SS0907
620102-2011-SS1113			1.0	1.6						-7	-3			100.0	100.9	620102-2007-VW7963
SCHAUER	Acc.:									33	29				30	620102-2009-SS0907
620102-2011-SS1114			-1.2							-15	-11			95.0	87.6	620102-2007-VW7922
SCHAUER	Acc.:									30	26				25	620102-2008-PP0807
620102-2011-SS1115			-0.5							-15	-11			95.4	89.2	620102-2007-VW7922
SCHAUER	Acc.:									30	26				25	620102-2008-PP0807
620102-2011-SS1117	0.1%		1.0	2.5						-5	3		111.1	104.4	107.9	620068-2009-HV2903
SCHAUER	Acc.:									31	28		41		30	620078-2010-P10315
620102-2011-SS1118			0.8							-5	-1			100.8	102.3	620102-2007-VW7963
SCHAUER	Acc.:									33	29				28	620102-2008-PP0823
620102-2011-SS1119			0.9							-5	-1			100.9	102.6	620102-2007-VW7963
SCHAUER	Acc.:									33	29				28	620102-2008-PP0823

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Male progeny		MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool		Sire
Animal ID	Inbreeding	kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+	Maternal\$	Dam
620102-2011-SS1123			0.0	0.5						-5	-1		99.6	99.9	620102-2007-VW7963
SCHAUER	Acc.:									33	29			30	620102-2009-SS0913
620102-2011-SS1124			0.6	1.2						-5	-1		100.0	101.1	620102-2007-VW7963
SCHAUER	Acc.:									33	29			30	620102-2009-SS0913
620102-2011-SS1125			-0.1	0.4						-5	-1		99.6	99.8	620102-2007-VW7963
SCHAUER	Acc.:									33	29			30	620102-2009-SS0913
620102-2011-SS1131		0.2	1.4	3.1						-5	-1		101.3	104.9	620102-2007-VW7963
SCHAUER	Acc.:									35	31			31	620102-2008-PP0825
620102-2011-SS1133			0.3	0.3						-1	2		101.0	101.8	620102-2007-VW7922
SCHAUER	Acc.:									30	25			27	620102-2009-SS0903
620102-2011-SS1135			0.0							-4	-1		99.1	99.0	620102-2007-VW7922
SCHAUER	Acc.:									30	26			26	620102-2008-PP0816
620102-2011-SS1136			-0.5							-4	-1		98.8	97.7	620102-2007-VW7922
SCHAUER	Acc.:									30	26			26	620102-2008-PP0816
620102-2011-SS1137			0.0							-4	-1		99.1	99.0	620102-2007-VW7922
SCHAUER	Acc.:									30	26			26	620102-2008-PP0816
620102-2011-SS1138			1.7	3.9						-7	-1		102.6	106.8	620068-2009-HV2903
SCHAUER	Acc.:									28	24			26	620102-2010-SS1009
620102-2011-SS1139			1.6	3.8						-7	-1		102.6	106.6	620068-2009-HV2903
SCHAUER	Acc.:									28	24			26	620102-2010-SS1009
620102-2011-SS1141			0.5							-5	-1		100.4	101.1	620102-2007-VW7963
SCHAUER	Acc.:									33	29			28	620102-2008-PP0857
620102-2011-SS1142			0.9							-5	-1		100.6	101.8	620102-2007-VW7963
SCHAUER	Acc.:									33	29			28	620102-2008-PP0857
620102-2011-SS1146			1.3	2.3						-8	-2		102.5	104.1	620068-2009-HV2903
SCHAUER	Acc.:									26	23			25	620102-2010-SS1014
620102-2011-SS1148		0.3	0.9	1.7						-3	1		101.5	103.7	620102-2007-VW7963
SCHAUER	Acc.:									35	30			30	620102-2008-PP0832
620102-2011-SS1149		0.3	1.1	2.0						-3	1		101.6	104.1	620102-2007-VW7963
SCHAUER	Acc.:									35	30			30	620102-2008-PP0832

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Female progeny		MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool		Sire	
Animal ID	Inbreeding	kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+	Maternal\$	Dam	
620102-2010-SS1005			0.2	0.5						-9	-6		102.3	98.4	96.9	620102-2007-VW7922
SCHAUER	Acc.:									29	24		44		28	620102-2008-PP0817
620102-2010-SS1007			-0.8							-15	-11			95.2	88.4	620102-2007-VW7922
SCHAUER	Acc.:									30	26				25	620102-2008-PP0807
620102-2010-SS1015			0.5	1.0						-6	-2			100.2	100.5	620102-2007-VW7922
SCHAUER	Acc.:									29	25				26	620102-2009-SS0904
620102-2010-SS1018			0.0	0.8						-4	-1		102.9	99.1	100.0	620102-2007-VW7922
SCHAUER	Acc.:									30	26		44		30	620102-2008-PP0816
620102-2010-SS1019			0.6							-5	-1			100.7	101.9	620102-2007-VW7963
SCHAUER	Acc.:									33	29				28	620102-2008-PP0823
620102-2010-SS1021		0.4	0.3	0.9						4	7			103.9	107.4	620102-2007-VW7963
SCHAUER	Acc.:									34	29				29	620102-2008-PP0848
620102-2010-SS1028			-0.7							-9	-5			97.5	94.1	620102-2007-VW7922
SCHAUER	Acc.:									30	26				26	620102-2008-PP0829
620102-2010-SS1030			0.7							-5	-1			100.5	101.4	620102-2007-VW7963
SCHAUER	Acc.:									33	29				28	620102-2008-PP0857
620102-2010-SS1031			0.2	-0.7						-5	-1		98.0	100.2	98.4	620102-2007-VW7963
SCHAUER	Acc.:									33	29		44		32	620102-2008-PP0857
620102-2010-SS1033			-1.3	-4.4						-13	-8		81.5	96.3	86.9	620102-2007-VW7922
SCHAUER	Acc.:									30	25		46		30	620102-2009-SS0910
620102-2011-SS1102			-0.3	-1.6						-13	-8			96.9	91.4	620102-2007-VW7922
SCHAUER	Acc.:									30	25				26	620102-2009-SS0910
620102-2011-SS1106			-0.6							-9	-5			97.6	94.5	620102-2007-VW7922
SCHAUER	Acc.:									30	26				26	620102-2008-PP0829
620102-2011-SS1107			-0.9	-1.6						-5	-2			99.4	96.2	620102-2007-VW7922
SCHAUER	Acc.:									30	26				27	620102-2008-PP0870
620102-2011-SS1108			-0.8	-1.5						-5	-2			99.5	96.3	620102-2007-VW7922
SCHAUER	Acc.:									30	26				27	620102-2008-PP0870
620102-2011-SS1109			1.0	2.7						-8	-2			101.8	104.4	620068-2009-HV2903
SCHAUER	Acc.:									26	23				26	620102-2010-SS1002
620102-2011-SS1116	0.1%		1.0	2.4						-5	3		110.7	104.3	107.8	620068-2009-HV2903
SCHAUER	Acc.:									31	28		41		30	620078-2010-P10315

LAMBPLAN

Analysis : USA MATERNALS , Wednesday, 1 June 2011

Breed 62 Flock 0102 Years 2010 to 2011



Female progeny		MWWT	WWT	PWWT	PFAT	PEMD	YFD	YGFW	YSL	NLB	NLW	PSC	USA Maternal + Wool		Sire
Animal ID	Inbreeding	kg	kg	kg	mm	mm	u	%	mm	%	%	cm	Carcase+	Maternal\$	Dam
620102-2011-SS1120			0.8							-5	-1		100.8	102.4	620102-2007-VW7963
SCHAUER	Acc.:									33	29			28	620102-2008-PP0823
620102-2011-SS1121			-0.2							-9	-6		98.2	95.8	620102-2007-VW7922
SCHAUER	Acc.:									29	24			25	620102-2008-PP0817
620102-2011-SS1122			-0.5							-9	-6		98.0	95.1	620102-2007-VW7922
SCHAUER	Acc.:									29	24			25	620102-2008-PP0817
620102-2011-SS1126			0.2	0.6						-9	-4		99.4	98.4	620102-2007-VW7963
SCHAUER	Acc.:									33	29			30	620102-2009-SS0909
620102-2011-SS1127			0.4	0.9						-9	-4		99.5	98.9	620102-2007-VW7963
SCHAUER	Acc.:									33	29			30	620102-2009-SS0909
620102-2011-SS1128			0.6	1.1						-5	-1		100.5	101.2	620102-2007-VW7922
SCHAUER	Acc.:									31	26			28	620102-2009-SS0902
620102-2011-SS1129			0.2	0.7						-5	-1		100.3	100.5	620102-2007-VW7922
SCHAUER	Acc.:									31	26			28	620102-2009-SS0902
620102-2011-SS1130		0.2	1.2	2.7						-5	-1		101.1	104.3	620102-2007-VW7963
SCHAUER	Acc.:									35	31			31	620102-2008-PP0825
620102-2011-SS1132			-0.3	-0.4						-1	2		100.6	100.6	620102-2007-VW7922
SCHAUER	Acc.:									30	25			27	620102-2009-SS0903
620102-2011-SS1134			-0.3	-0.4						-1	2		100.6	100.6	620102-2007-VW7922
SCHAUER	Acc.:									30	25			27	620102-2009-SS0903
620102-2011-SS1140			0.8							-5	-1		100.6	101.5	620102-2007-VW7963
SCHAUER	Acc.:									33	29			28	620102-2008-PP0857
620102-2011-SS1143			2.3	4.4						-3	2		104.7	110.7	620068-2009-HV2903
SCHAUER	Acc.:									27	24			26	620102-2010-SS1022
620102-2011-SS1144			2.0	3.9						-3	2		104.5	109.9	620068-2009-HV2903
SCHAUER	Acc.:									27	24			26	620102-2010-SS1022
620102-2011-SS1145			1.5	2.6						-8	-2		102.6	104.6	620068-2009-HV2903
SCHAUER	Acc.:									26	23			25	620102-2010-SS1014
620102-2011-SS1147		0.4	1.3	2.1						4	7		104.5	109.5	620102-2007-VW7963
SCHAUER	Acc.:									34	29			29	620102-2008-PP0848